GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services - PR & RD Department - Allegations of irregularities in execution of Dupadu Project (Water Supply Scheme) in Prakasam District – Disciplinary proceedings initiated against Sri B.V. Rayudu, Assistant Engineer, RWS Division, Yerragondapalem-I, (Retd.) Prakasam District – Expired on 24-06-2006 – Further action abated – Orders – Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.II) DEPARTMENT

G.O.RT.No. 575 Dated: 05-09-2019
Read the following:-

1. G.A (V&E) Dept., Vigilance Report No.165(783)/V&E/E1/03), dt:09-11-2005.
2. Govt.Memo.No.951/Vig.IA/2006-6, dt:21-04-2006.
3. From the Engineer-in-Chief, PR, Hyderabad letter No.Vig.II/1/4332/04 dated:28-09-2006.

*****

ORDER:-

Based on the recommendations of Director General, General Administration (V&E) Department, disciplinary action have been initiated by framing articles of charge against Sri B.V.Rayudu, Assistant Engineer, RWS Division, Yerragondapalem-I, (Retd.& Expired) vide Memo 2nd read above under Rule 20 of A.P. Civil Services (CC&A) Rules, 1991 in respect of allegations of irregularities in execution of Dupadu Project (Water Supply Scheme) in Prakasam District.

2. In the letter 3rd read above, the Engineer in Chief, Panchayat Raj has stated that the charge memo issued to Sri B.V. Rayudu, Asst.Engineer (Retd.) formerly worked as Assistant Engineer, RWS Sub-Division, Y. Palem in the reference 2rd read above has been returned by Superintending Engineer (RWS), Ongole without serving to the individual since the individual was expired on 24.06.06 and requested further necessary action in the matter.

3. Government, after careful examination of the matter, have decided to abate further action against Sri B.V. Rayudu, AE., RWS Division, Yerragondapalem-I, (Retd. & Expired) in respect of allegations of irregularities in execution of Dupadu Project (Water Supply Scheme) in Prakasam District, since he was expired on 24.06.06, subject to recovery of misappropriated amount if any, from his terminal benefits, under Rule 9(7) of APRP Rules, 1980.

4. Accordingly, Government hereby abate further action against late Sri B.V.Rayudu, AE., RWS Division, Yerragondapalem-I (Retd.) and expired in this matter.

5. The Engineer-in-Chief, Panchayat Raj, Andhra Pradesh, Vijayawada shall take further necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

GOPAL KRISHNA DWIVEDI
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer in Chief, Panchayat Raj, Andhra Pradesh, Vijayawada.
Copy to:
The Director General, General Administration (V&E) Department, PN Bus Station, Vijayawada.
The Secretary, Andhra Pradesh Vigilance Commission, A.P. Secretariat, Velagapudi.
The Accountant General, A.P, Amaravathi at Hyderabad.
SF/SC.

//FORWARDED::BY ORDER//

SECTION OFFICER